UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/717,541	11/21/2003	Tomas Gandemo	018798-181	7964	
	7590 02/26/200 INGERSOLL & ROOI		EXAMINER		
POST OFFICE BOX 1404 STEPHENS, JAC				CQUELINE F	
ALEXANDRIA	ALEXANDRIA, VA 22313-1404		ART UNIT	PAPER NUMBER	
			3761		
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE		
2 MOI	NTHS	02/26/2007	PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

			E.
	Application No.	Applicant(s)	
	10/717,541	GANDEMO, TOMAS	
Office Action Summary	Examiner	Art Unit	
	Jacqueline F. Stephens	3761	
The MAILING DATE of this communication apperiod for Reply	opears on the cover sheet with	the correspondence address	
A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING I - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the maili earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICA .136(a). In no event, however, may a replication of the community of	ATION. y be timely filed S from the mailing date of this communication. IDONED (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on 01	December 2006.		
2a)⊠ This action is FINAL . 2b)☐ Th	is action is non-final.		
3) Since this application is in condition for allow	ance except for formal matters	s, prosecution as to the merits is	
closed in accordance with the practice under	Ex parte Quayle, 1935 C.D. 1	1, 453 O.G. 213.	3
Disposition of Claims			
4)⊠ Claim(s) <u>1-8</u> is/are pending in the application			
4a) Of the above claim(s) is/are withdra			
5)⊠ Claim(s) <u>1-8</u> is/are allowed.			
6) Claim(s) is/are rejected.			
7) Claim(s) is/are objected to.			
8) Claim(s) are subject to restriction and/	or election requirement.		
Application Papers			
9) The specification is objected to by the Examir	ner.		
10)⊠ The drawing(s) filed on 21 November 2003 is.	/are: a) ☐ accepted or b) ☒ c	bjected to by the Examiner.	
Applicant may not request that any objection to th	e drawing(s) be held in abeyance	e. See 37 CFR 1.85(a).	
Replacement drawing sheet(s) including the corre	•		
11) The oath or declaration is objected to by the E	Examiner. Note the attached (Office Action or form PTO-152.	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of:	n priority under 35 U.S.C. § 1	19(a)-(d) or (f).	
1. Certified copies of the priority docume	nts have been received.		
2. Certified copies of the priority docume		olication No	
3. Copies of the certified copies of the pri	,		
application from the International Bure	au (PCT Rule 17.2(a)).		
* See the attached detailed Office action for a lis	st of the certified copies not re	ceived.	
Attachment(s)	_		
1) Notice of References Cited (PTO-892)	4) Interview Sur	nmary (PTO-413) Mail Date	
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08)	5) 🔲 Notice of Info	rmal Patent Application	
Paper No(s)/Mail Date	6) 🗌 Other:		

Art Unit: 3761

DETAILED ACTION

1. This application is in condition for allowance except for the following formal matters:

Drawings

2. Drawing informalities were previously indicated in the PTO-948 mailed 8/11/05. Additionally, the drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the first opened edge of the openable seal line overlapped with a second opened edge of the openable seal line when the openable seal is resealed in the second resealable configuration must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filling date of an application must be labeled in the top margin as either "Replacement Sheet" or "New

Art Unit: 3761

Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Prosecution on the merits is closed in accordance with the practice under *Ex* parte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jacqueline F. Stephens whose telephone number is (571) 272-4937. The examiner can normally be reached on Monday-Friday 9:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tanya Zalukaeva can be reached on (571) 272-1115. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/717,541

Art Unit: 3761

Information regarding the status of an application may be obtained from the

published applications may be obtained from either Private PAIR or Public PAIR.

Patent Application Information Retrieval (PAIR) system. Status information for

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Jacqueline F Stephens

Rrimary Examiner Art Unit 3761

February 20, 2007

Page 4